

MATERIAL SAFETY DATA SHEET

Part # CLOAS01

Section I: General Information

Product Name: 0.1M Chloride Standard
Manufacturer's Name: Van London pHoenix Company
Distributed By: Van London pHoenix Company
Address: 6103 Glenmont Dr. Houston, Texas 77081
Phone: 713/772-6641 Fax: 713/772-4671

Chemical Name: Sodium chloride in Water
Chemical Family: Salt solution
DOT Shipping Info: N/A
IATA Shipping Info: N/A

Section II: Ingredients

CAS No.	%	Chemical Name	LD50 (mg/kg) oral-rat	OSHA/PEL ACGIH TLV
7647-14-5	<1.0%	Sodium chloride	8,000	None
7732-18-5	>99.0%	Water	---	None

Section III: Physical Data

Boiling Point: 100°C
Specific Gravity: 1.0
Vapor Pressure: N/A
Freezing Point: 0°C
Vapor Density: N/A
pH: 5.5 - 7.5
Water Solubility: Soluble
Appearance & Odor: Colorless, odorless liquid

Section IV: Fire & Explosion Hazard Data

Flashpoint: Not Flammable
Auto ignition Temperature: N/A
Extinguishing Media: Any
Special Fire Fighting Procedures: N/A
Unusual Fire & Explosion Hazards: N/A

Section V: Health Hazard Data

Effects of Overexposure:	Because of this low concentration of salt (less than 1%), this product is not considered to be hazardous.
Emergency & First Aid:	Wash off contact area with water.
Eyes & Skin:	May cause stinging or irritation in an open cut. Flush with water.
Ingestion/Inhalation:	None reported.

Section VI: Reactivity Data

Stable:	Yes
Conditions to Avoid:	None
Incompatibility:	None
Hazardous Decomposition Products:	None
Hazardous Polymerization:	Will not occur.

Section VII: Spill or Leak Procedures

Steps to be Taken:	Clean up and wash down drain.
Waste Disposal Method:	Wash down drain. Observe all federal, state, and local laws.

Section VIII: Special Protection Information

Respiratory Protection:	N/A
Ventilation:	N/A
Protective Gloves:	N/A
Eye Protection:	Safety goggles
Other Protective Equipment:	N/A

Section IX: Special Precautions

Precautions to be taken in Handling & Storage:	N/A
Other Precautions:	Keep solution sealed and at room temperature to insure product quality.

Issue Date: May 1, 2007

Name: Peter F. Boyle, Quality Control Manager

Signature:

A handwritten signature in cursive script that reads "Peter Boyle". The signature is written in black ink and is positioned below the printed name.